

FREE patent keyword monitoring and additional FREE benefits. ► [REGISTER](#) now for FREE ◀

**FreshPatents.com**  
Track New Patents and Technologies



Monitor



Organizer



File Patent



Inventors



Industry



Agents

Title/Abstract/Num.

Search FreshPatents

NEW! \*\* File a Provis

Patent \*\*

Ads by Google



[Text Magnifier](#) ➡

One-Stop Shop for Stylish,  
Portable Magnifiers - Perfect for  
Reading!  
[www.BiggerAndBrighter.com/Magn](http://www.BiggerAndBrighter.com/Magn)

[We Find Prior Art](#) ➡

Patent validity search experts. Try  
our Scorched-Earth search.  
[www.GilmanResearch.com](http://www.GilmanResearch.com)

[Low Vision Products](#)

Assistive Products for Low  
Great Selection & Custom  
Support  
[www.Enablemart.com](http://www.Enablemart.com)

[Screen magnifier](#)

MAGic™ @ \$69.95.

Magnifies upto 16x Hurry!

Limited Offer. Sign Up

Now.

[www.LowVisionSolutions.com](http://www.LowVisionSolutions.com)



[Hi Power Magnifiers](#)

Huge selection. Sheet,  
hand held, video, glasses  
clip-on. Ships fast.

[www.DebSpecs.com](http://www.DebSpecs.com)

[Patent Attorney/Engineer](#)

Over 36 years experience.

Staff available 24/7 by  
phone.

[www.invention.net](http://www.invention.net)

[HMI Industrial Panels](#)

Industrial HMI Touch &  
Text Screens Low Price,  
Color & Mono, from \$125

[www.factorymation.com](http://www.factorymation.com)

[Magnification Products](#)

Wide selection of  
magnification products at  
everyday low prices.

[www.maxiaids.com](http://www.maxiaids.com)

[Data Processing: Presentation Processing Of Document, Operator Interface Pr  
Saver Display Processing > Operator Interface \(e.g., Graphical User Interface\)  
Workspace Or Object > Window Or Viewpoint > Layout Modification \(e.g.,](#)

## Layout Modification (e.g., Move Or l

Layout Modification (e.g., Move Or Resize) patent applications listed are from current and include Date, Patent Application Number, Patent Title, Patent Abs are linked to the corresponding patent application page.

10/04/07 - 20070234231 - [Method and apparatus for inputting text effect item](#)  
A function is implemented for inputting a text effect item to place various effe text is edited. By using the function, a user can easily select a text effect item 1 in a text editing mode by reducing a panel in which at least ...

09/27/07 - 20070226647 - [Methods of manipulating a screen space of a displa](#)  
Methods to manipulate a screen space of a display device are disclosed. A plu windows of a plurality of applications are displayed on a screen space. At leas and a second application are executing to display a plurality of windows. A us system ...

09/20/07 - 20070220444 - [Variable orientation user interface](#)  
A graphical user interface system is described in which users can be located at application interfaces can be generated on the display to appear in different or different users sitting at different positions around the periphery of a display s an interface ...

09/13/07 - 20070214431 - [Smart gadget resizing](#)  
A system and method is provided for displaying dynamic information in a dyn element in a designated area on a display and resizing the dynamic informatio designated area based on resizing of the designated area. A command to resize on the display may ...

09/06/07 - 20070209019 - [Method and device for displaying data](#)  
A method of displaying data on a display screen is provided wherein first and

are provided on the display screen. The display zones are sized so that, in combination, they substantially occupy a predetermined display area of the display screen which the display ...

08/16/07 - 20070192731 - Assisting user interface element use

Methods of controlling the display and use of a UI element are disclosed. In an embodiment, the element may be configured so that it initially maintains a topmost position but eventually allows other applications to assume the topmost position. In an embodiment, the display of the element may be ...

08/16/07 - 20070192730 - Electronic device, computer program product and method for managing application windows

A method of managing application windows in an electronic device, an electronic device, a computer program product. The electronic device comprises a processing unit, a display, and functions of the device, a display connected to the processing unit for showing application windows, and an input device for issuing control commands, ...

08/02/07 - 20070180400 - Controlling application windows in an operating system

Systems and methods are provided for controlling the appearance of application windows on a computer display screen. A user identifies either an application window currently displayed on the screen or a new application to be started. The user also identifies a size, shape, and location by inputting a geometric ...

07/26/07 - 20070174783 - System and method of intelligent window placement

A method, apparatus, and computer-usable medium for displaying a primary presentation on a display, where the primary presentation includes a collection of frames; in response to a request to overlay the primary presentation with a secondary presentation, analyzing the primary presentation to identify at least one safe region ...

05/24/07 - 20070118810 - Scalable scroll controller

A method for accessing a data field having fine resolution is disclosed. The method includes providing a scalable scroll controller with a scale controller to modify a scale of the data field and a magnification for accessing data within the data field. The method also includes receiving a user event to select ...

05/17/07 - 20070113197 - Computer system with graphical user interface including enclosures

A new behavior in a graphical user interface allows the user to open and close a window by dragging an object. When the user pauses, gestures, or rolls over a hot spot on the object representing a closed enclosure, a temporary window for the closed enclosure is displayed ...

04/19/07 - 20070089068 - Method and system for defining page size when displaying a data list

A system for setting data list parameters for displaying a data list in pages. An application receives a first and second user input, wherein the first user input defines a number of pages to be displayed within a page, and wherein the second user input defines a page size ...

04/12/07 - 20070083825 - Method and apparatus for displaying a window for a data list

Methods and apparatuses to display windows. In more than one embodiment, a window is closed automatically (e.g., after a timer expires, or when a condition is met, or a system input is received) without user input. In some examples, the window is closed that ...

04/12/07 - 20070083824 - Display apparatus and contents information display  
A contents information display method of a display apparatus includes storing information related to a location and a size of a plurality of sub-screens which contents; receiving and storing contents information; extracting image data corresponding to respective contents of the plurality of contents from ...

02/15/07 - 20070038954 - Displaying apparatus of ui parts and displaying method  
An information processing apparatus obtains user interface data for displaying onto a display screen of a displaying apparatus from an external apparatus, and whether the user interface part corresponding to user interface parts designated by user interface data obtained through an interface is displayed ...

02/08/07 - 20070033543 - Virtual magnifying glass with intuitive use enhancement  
A display screen magnifier is controllable by a user to magnify selected portion including windows open on the screen. A moveable magnifier frame is provided and a magnified image is presented. The magnified image corresponds to screen content corresponding to a magnification region underlying the magnifier ...

02/08/07 - 20070033542 - Virtual magnifying glass system architecture  
A display screen magnifier is controllable by a user to magnify selected portion including windows open on the screen. A magnified image is presented within a magnifier frame. The magnified image corresponds to screen content located within a magnification region underlying the magnifier frame, magnified to ...

12/07/06 - 20060277491 - Information processing apparatus and display control method  
According to one embodiment, an information processing apparatus capable of displaying a window on a display screen, includes: an input device which inputs an event for a scale-up or a scale-down of an image displayed inside a window; a detection unit which detects a scale-up or a scale-down of the image; and a control unit which controls the image to be scaled up or down in accordance with the detection of the scale-up or the scale-down of the image by the detection unit, the window set so as to ...

11/09/06 - 20060253796 - Size to content windows for computer graphics  
Described is a method and system by which a computer program window is sized to content to display. The window may automatically resize itself as content changes. For example, if the content is an element tree of elements that contain the content, the elements provide information to a parent ...

10/19/06 - 20060236264 - Automatic window resize behavior and optimization  
A method and system for managing the layout of an application window during an application window resize operation. An application is responsive to a resize request to automatically resize the application window to have minimum height and/or width the dimensions when the user adjusts one of the application window's dimensions below ...

09/21/06 - 20060212825 - Cell based eui methods & apparatuses  
In a cell based EUI, existing display container cells nested within a "host" display container are automatically shifted and/or downsized, if necessary, to increase available space for the creation of another display container cell nested within the "host" display container in response to a request to perform ...

09/21/06 - 20060212824 - Methods for navigating through an assembled object  
... implementing the same

Methods for navigating through an assembled object, for example, a web-page document, etc. The assembled object may include any suitable number of geo which may have an arbitrary shape and/or be arbitrarily situated within, for ex dimensional or three dimensional area. ...

07/06/06 - 20060150117 - Display control device and program

A display control device for displaying a first display area and a second display area. The device comprises: first control means for controlling at least one of the configuration, character input direction and arrangement position of the first display area; and second control means for controlling at ...

05/18/06 - 20060107231 - Sidebar tile free-arrangement

The present invention relates to a system and method for displaying information that access to applications or dynamic information through independent user interface is attained in a designated area on a display and may be easily and conveniently arranged in a designated area on the ...

05/11/06 - 20060101352 - Rearranging views on a computer screen

On a computer screen (3), various non-overlapping views (A, B, C, . . . ) or “views” are displayed simultaneously. To present the views more conveniently for a user, the views are automatically rear-ranged in response to a rearrangement request by the user. The views can be ...

05/04/06 - 20060095863 - Creating views on a computer screen

To create a new view on a computer screen (3), the computer receives a request comprising location information such as a point indicated by the user. Based on the location information, the computer determines both the location of the new view and the location of the existing views ...

04/13/06 - 20060080621 - Method of controlling location of display window on information processing device and apparatus using the method

Provided is a method of controlling a location of a display window on a display information processing device, and an apparatus using the method. The method includes: displaying the display window on the display; and moving the display window ...

03/30/06 - 20060070008 - Preserving browser window integrity

A method and system for preservation of browser window integrity is disclosed. The size of script-created windows is adjusted as necessary to preserve critical data on the screen prior to rendering those windows. Popup windows are similarly adjusted so that their integrity is preserved. Popup window size ...

01/19/06 - 20060015820 - Fixed window selection

Methods and apparatus, including computer program products, for fixed window selection in a system for web browsing includes a user interface including a graphical user interface processor linked to the user interface, the processor arranged to perform instructions with a web browser program and to output at ...

12/01/05 - 20050268248 - Content customization with resizable and context-sensitive

Mechanisms are disclosed for delivering web content in a manner that allows for manipulation of the content to be processed client side. An example web page of modules organized into columns. The column widths can be resized by the user ...

can be moved from ...

11/03/05 - 20050246655 - Moveable interface to a search engine that remains desktop

Methods and systems for a moveable search engine interface that remains visible provided. In one embodiment, a search engine interface is created by displaying of a window on a screen of the computer. The window may receive search term information available ...

10/20/05 - 20050235220 - Web page display system

A display system displays web pages from web sites located on data communication network such as the Internet network. The display system has display controls and a plurality of overlapping display areas. Each display area has independent display area control and independently displays a web page. The display controls include ...

10/20/05 - 20050235219 - Techniques for simultaneously displaying a background interactive content page in an application window

Techniques are provided for maintaining the visibility of a priority page in the software application window while simultaneously displaying unrelated content. The content displayed in the content tab can be obtained from a web page. A user can minimize the content ...

08/25/05 - 20050188327 - On screen display device and a message displaying method

An on screen display (OSD) device and the message displaying method thereof. The OSD device includes an operating interface, a display unit and a storage unit. The operating interface is used for displaying a screen-adjustment window having a message of the operating interface is pressed, displays ...

08/25/05 - 20050188326 - Image assortment supporting device

An image assortment supporting device displays an assortment window allocated to an assortment view R2 and a sorting view R4 on a display screen of a display unit. A thumbnail image is displayed in the assortment view R2. The assortment supporting device performs ...

08/11/05 - 20050177798 - Method and system for automatically displaying content of a display that has changed orientation

A method and system for automatically displaying content of a window on a display that has changed orientation is described. The content of a window, such as a dialog box, is authored for a particular size and is repositioned and resized such that the window

06/23/05 - 20050138569 - Composite rate reduction for displays

Embodiments of the present invention blend frames over a specified temporal period to provide a smooth appearance at a reduced frame rate. As the window moves further or closer, motion blur may be accomplished by temporal averaging. In particular, the technique used to blend image ...

06/23/05 - 20050138568 - System integrated window sizing device

A system integrated window sizing device for varying the display size of display on a portable computing device. A pointer stick device is integrated into the portable device and supports movement of a cursor pointer in both an X axis and Y axis direction

06/02/05 - 20050120310 - Information processing apparatus and display contr  
According to one embodiment, a CPU executes a zooming utility program in :  
the operation of an enlargement button or reduction button provided as user of  
zooming utility program executed by the CPU searches for running application  
enlarges/reduces display contents within the windows of ...

###

Design/code © 2008 FreshContext LLC/Freshpatents.com. Website Terms and  
Patent data source: patents published by the United States Patent and Trademark  
Information published here is for research/educational purposes only (and in c  
Keyword Monitor) and is not meant to be used in place of the full USPTO patent  
or a comprehensive patent archive search. Complete official applications are o  
and often contain additional data/images (Freshpatents is currently text-only).  
not affiliated with or endorsed by the USPTO or firms/individuals or products  
to listed patents.  
FreshPatents.com Support